

**ALLEN COUNTY DRAINAGE BOARD AGENDA
REGULAR HEARING**

December 10, 2009

9:00 a.m.

Call to Order: Chairwoman, Linda K. Bloom

Approval of Minutes: November 12, 2009 Minutes

Approval of 2010 Drainage Board Calendar

Approval of Petitions:

1. **Doc. #09-135, Roy #2 Br. #1 and Br. #2 Drains.** Request for reconstruction and the establishment of Periodic Maintenance.
2. **Doc. #09-136, Cochoit Drain located in Adams Twp. Sec. 13.** Petitioner is the City of New Haven. Petition for the removal and replacement of 620 linear feet of existing 10" VCP sanitary sewer that runs parallel with the regulated drain with new SDR-35 PVC sanitary sewer. Also included is the removal and replacement of two existing sanitary sewer manholes with new precast concrete manholes and bolt down frames.
3. **Doc. 09-035, Willow Creek Main located in Perry Twp. Sec. 18.** Petitioner – Northern Indiana Fuel & Light Co. Petition for encroachment for the installation of a four inch plastic natural gas main that is proposed to be directionally bored under the Willow Creek Main Drain. The proposed depth at the center of the drain is a minimum distance of ten feet between the top of the proposed main and the bottom of the drain bed. The attached drawing shows the proposed bore entry and exit locations and a detailed depth chart.
4. **Doc. #09-137, Willow Creek Br. #7 Drain located in Perry Twp. Sec. 18.** Petitioner – Northern Indiana Fuel & Light Co. Petition for encroachment for the installation of a 2" plastic natural gas service that is proposed to be direct bored from the property of 14520 Old Lima Road and going under the Willow Creek Branch #1 Drain and Old Lima Road to our existing 2" plastic a main. A proposed distance of six feet will be maintained between the bottom of Willow Creek and the top of the proposed main as shown in the attach drawing.
5. **Doc. #09-138, Huguenard #2 Drain located in Washington Twp. Sec. 3.** Petition – City of Fort Wayne. Petition for encroachment for the construction and installation of a 4-sided 12'x5' precast reinforced concrete box culvert (the culvert is to replace the existing twin corrugated metal pipe culverts). The culvert is to be installed in accordance with previously hydraulics submittal to ACSO.
6. **Doc. #09-139, Martin #1 Drain located in Perry Twp. Sec. 36.** Petitioner – Brown Investment Group LLC. Petition for encroachment for the construction and installation of roads, utilities and detention basin.
7. **Doc. #09-140,** Request from Sauer Land Surveying for approval of the Stormwater Management Plan for Harlan Church of Christ located in Springfield Twp. Sec. 32.

Other Business:

- A. Dale Meyer – discussion regarding the Roy #2 Drain.
- B. Ken Fuelling – discussion regarding the vacation of the Scar Tile.

As needed.

Allen County does not discriminate because of disability in the admission to, treatment or employment in, its programs or activities. The Human Resources Director has been designated to coordinate compliance with nondiscrimination requirements contained in Section 35.107 of the Department of Justice regulations. Information concerning the provisions of the Americans with Disabilities Act, and the rights provided thereafter, and Allen County's ADA Policy, are available from the ADA Coordinator. Requests for assistance or suggestions on how the County can better meet the needs of those persons with disabilities may be submitted to the ADA Coordinator at: Human Resources Department, Room 208, 1 East Main Street, Fort Wayne, Indiana 46802, or by telephone at 260-449-7217, TDD 260-44-7881.